
## Getting Started with Six Sigma




#### Across:

- 2. A failure in a component or sub-unit of the entire defective part
- Person receives training on the basic application of Six Sigma mgmt tools.(2 words)
- is a continuous improvement methodology.(3 words)
- means a failure rate of 3.4 parts per million or 99.9997% perfect.(2 words)
- Role is normally that of a Six Sigma project leader.(2 words)
- 9. Company that Coined "six sigma"

- A failure of entire unit/widget of the product or process, which is undesirable
- 2. Defects per million opportunities
- A measurable KPI used for improvement in six sigma projects.(2 words)
- full-time/part time project leaders who mentors Green Belts and other associates.(2 words)

## Six Sigma Problem Solving Approach




### Across:

- 1. \_\_Phase
  Identifies
  suitable
  solutions to
  overcome
  the root
  causes.
- Sigma scores equivalent to 3.4 defects per million opportunities
- Defect level measure measured at unit level
- 6. True measure of first time right

- CTQs are identified in this phase.
- 8. \_\_Phase of Six
  Sigma Project that
  involves extensive
  use of statistical
  tools to establish
  relationship between
  cause and effect.
- Phase
   Implement the solutions and monitor its results.

- Phase of Six
   Sigma Project that
   involves collection
   of data relating to
   the problem and
   the causes for the
   problem.
- 4. Measure of variation in any process.
- Improvement cycle is the core tool used to drive Six Sigma projects.

## **Listening to Customers**




#### Across:

- Statement or verbatim of customer.
- Ability to fulfil customer perceived preference.
   (2 words)
- Helps set priorities of product characteristics. (2 words)
- A business tool used to organize ideas and data. (2 words)
- Dividing a customer base into groups of individuals such as age, gender, interests and spending habits. (2 words)

- 2. NPS survey is a simple way to measure ..(2 words)
- It measures the willingness of customers to recommend a company's products or services to others.

## **Define Phase: Completing a Project Charter**




#### Across:

- is a tool used in the Define Phase to draw boundaries by engaging the team in terms of scope of process change, timelines, etc. (2 words)
- A document that explains the six sigma project in clear concise wording without a lot of details.
- A well articulated description of the underlying need for a Six Sigma project. (2 words)

- The boundaries of the project that have to be taken into consideration before deciding the goal for any project. (2 words)
- a person with an interest or concern in something, especially a business
- 5. 4 different roles assigned to members of six sigma project team

## **Define Phase: Process Mapping Tools**




#### Across:

- 4. \_\_also known as cross functional flowchart.(2 words)
- A tool that summarizes the inputs and outputs of one or more business processes in table form.

- also called workflow diagram, business flow diagram or process flow diagram.(2 words)
- A graphical representation of a process in a sequential order.
- 3. The differences between observed average.

# Measure: Cause & Effect Relationships




### Across:

- 2. Y in Y = f(x)
- is that which is produced by a cause; the impact a factor (X) has on a response variable (Y).
- also called a cause and effect diagram or Ishikawa diagram (2 words)

- 1. x in Y = f(x)
- It provides a way of mapping out how value is transmitted from the input factors of your system (the Xs) to the process or product outputs (the Ys).(2 words)

## Measure Phase: Measurement System Analysis (MSA) or Gage R&R



### Across:

- Measurement of System Analysis
- 5. Variation when two or more people measure the same unit with the same gage
- 6. \_\_\_\_refers to how close measurements are to each other.

- Same person
   measuring the
   same part multiple
   times
- 3. \_\_\_\_ refers to how close a gage's measurements are to the true value.
- 4. One of the tools in MSA to assess precision errors.

### Measure Phase: Data Collection - Planning & Execution

			1 L																			
	<sup>2</sup> O		О																			
	R		С																			
	D		Α																			
	<sup>3</sup> I	N	Т	Е	R	v	A	L	S	С	A	L	Е									
	N		I										1									
	Α		О									<sup>4</sup> V										
	L		5 N	О	M	Ι	N	A	L	S	С	Α	L	Е								
	S		D								1	R										
	С		Α							<sup>6</sup> R		I										
	Α		Т						7 D	A	T	Α	С	О	L	L	E	С	Т	Ι	О	N
	L		Α							Т		В										
	Е									I		L										
										О		Е										
										S		S										
										C		D										
A T T	R	I	В	U	Т	Е	D	A	Т	Α		Α										
										L		T										
										Е		A										

#### Across:

- A quantitative measurement scale where the difference between the two variables is meaningful
- A measurement scale, in which numbers serve as "tags" or "labels" only, to identify or classify an object.
- The process of gathering quantitative and qualitative information for six sigma project
- A qualitative data that can be counted for recording and analysis

- An information about the geographic positions of devices or structures.
- A rank order scale in which the numbers are assigned to the objects to determine the relative extent to which certain characteristic is possessed.
- A data that is acquired through measurements, such as length, time, diameter, strength, weight, temperature, density, thickness, pressure, and height.
- A type of variable measurement scale which is quantitative in nature.

## Measure Phase: Data Sampling

	1 P	О	P	U	L	Α	Т	I	О	N	<sup>2</sup> S	A	M	P	L	Ι	N	G
											Т							
-											R							
$^{3}$ S	Y	S	Т	Е	M	A	T	I	C	S	Α	M	P	L	I	N	G	
											Т							
		<sup>4</sup> S	A	M	P	L	I	N	G	В	I	A	S					
											F							
											I							
											Е							
											D							
											S							
											A							
											M							
											P							
											L							
											Ι							
											N							
											G							


#### Across:

- 1. the process of taking a subset of subjects that is representative of the entire population. (2 words)
- 3. sample members from a larger population are selected according to a random starting point but with a fixed, periodic interval. (2 words)
- 4. The data you collect may not be accurate or represent the group (2 words)

#### Down:

The researcher divides the population into separate groups, called strata. (2 words)

## **Measure Phase: Introduction to Business Statistics**



#### Across:

- 4. A Measure of central tendency
- 5. An
  extreme
  value is
  considered
  to be \_\_
- The study of collecting, organizing, analyzing, and interpreting information.

- A measure of the asymmetry of the probability distribution of a random variable about its mean
- Normal distribution is also called (3 words)
- Mathematician who developed bell shaped curve
- 4. The middle value in distribution
- 6. it's a
  Specialized
  type of Bar
  Chart that
  represents data
  distribution

## Measure Phase: Graphical Analysis Methods

<sup>1</sup> B	О	X	P	L	О	Т	S							
							С							
	M M	U	L	Т	Ι	V	A	R	Ι	С	Н	A	R	Т
							Т							
							T							<sup>4</sup> R
							Е							U
							R							N
							P							С
							L							Н
							О							Α
							T							R
							<sup>5</sup> S	Т	Е	M	P	L	О	Т

#### Across:

- A graphical rendition of statistical data based on the minimum, first quartile, median, third quartile, and maximum. (2 words)
- 3. A very useful tool for analyzing all three types of variation. (2 words)
- 5. A type of chart that shows how individual values are distributed within a set of data. (2 words)
- 2. A graph used to analyze the correlation between two variables.(2 words)

Down:

4. A line graph of data plotted over time. (2 words)

### Measure Phase: Assessing Process Capability

	¹P																								
	R																								
L	О	N	G	T	Е	R	M	С	A	P	A	В	I	L	I	Т	Y								
	С																								
	Е																								
	S																								
	S																								
	С																								
	Α																								
	³P	R	О	С	E	S	S	С	A	P	A	В	Ι	L	I	Т	Y	A	N	A	L	Y	S	I	S
	Α																								
	В																								
	I																								
	L																								
	I																								
	Т																								
	Y																								

Across: Down:

- 2. The actual Process Capabiltiy of a process over a period of time. (3 words)
- 3. An analysis that helps in establishing the capability of the process to meet customer requirements and specifications. (3 words)
- Capability of any process. (2 words)

## Analyze Phase: Theory of Hypothesis Testing

1 N	U	L	L	Н	Y	<sup>2</sup> P	О	Т	Н	Е	s	Ι	S							
						v														
<sup>3</sup> A	L	T	Е	R	N	A	T	I	V	Е	Н	Y	P	О	Т	Н	Е	S	I	s
						L														
						U											4 R			
					<sup>5</sup> Т	Е	S	Т	S	Т	A	Т	I	S	Т	I	С			
																	A			

#### Across:

- a type of hypothesis used in statistics that proposes that no statistical significance exists in a set of given observations. (2 words)
- 3. one that states there is a statistically significant relationship between two variables (2 words)
- 5. a random variable that is calculated from sample data and used in a hypothesis test. (2 words)

- 2. the probability of obtaining the observed results of a test, assuming that the null hypothesis is correct. (2 words)
- a collective term that describes a wide range of approaches, tools, and techniques used to uncover causes of problems.

### **Analyze Phase: Performing Hypothesis Testing**


										¹Z															
						2 R	Е	G	R	Е	s	s	I	О	N										
										R															
										О						<sup>3</sup> Н									
										С						Y									
	<sup>4</sup> L									О						P									
	Ι									R						О									
	N									R		<sup>5</sup> S	С	Α	Т	Т	Е	R	D	I	A	G	R	A	M
	Е									Е						Н									
	Α									L						Е									
	R					<sup>6</sup> A				A						S									
	R					N		<sup>7</sup> С		Т						I									
	Е					О		Н		I						S									
	G					V		I		О						Т									
	R			<sup>8</sup> P	Е	A	R	S	О	N	s	С	О	R	R	Е	L	A	T	I	О	N			
	Е							Q								S									
	S							U				,				T									
	S			$^{9}V$	Α	R	Ι	A	N	С	Е														
	I							R																	
10 C	О	E	F	F	Ι	С	Ι	Е	N	T	С	О	R	R	Е	L	Α	Т	I	О	N				
	N																								

#### Across:

- A technique that investigates and models the relationship between a dependent variable (Y) and independent predictors (Xs). (2 words)
- The bi-variate relationship of two variables plotted on a graph in the form of dots (2 words)
- a correlation coefficient commonly used in linear regression. (2 words)
- a measure of the amount of variation that exists in a process. The variance is equal to the standard deviation squared. (2 words)
- Coefficient that quantifies the relationship between two variables (2 words)

- A change in the value of one variable does not have any effect on the value of the other variable (2 words)
- 3. Statistical tests used for validation of our assumptions. (2 words)
- Attempts to model the relationship between two variables by fitting a linear equation to observed data. (2 words)
- It compares the amount of variation between groups with the amount of variation within groups
- 7. A test also written as χ2 test (2 words)

## Analyze Phase: Quantification of Opportunity to Improve



#### Across:

- 1. 2x2 matrix used to selecting causes of high impact and control (3 words)
- 3. Founder of Pareto chart (An Italian economist) (2 words)

### Down:

2. a type of chart used for prioritization (2 words)

## **Improve Phase: Generating and Screening Solutions**

						1 А	N	Α	<sup>2</sup> L	О	G	Y						
									A									
$^{3}$ S	С	R	Е	Е	N	I	N	G	Т	Е	С	Н	N	I	Q	U	Е	S
									E									
									R									
									A									
									L									
									T									
									Н									
									Ι	•								
									N	•								
									K	•								
									Ι									
									N									
									G									


#### Across:

- Compares two completely different things and look for similarities between two things or concepts and it only focuses on that angle.
- Its involve interacting with a product with one or more physical or sensory abilities eliminated or modified. (2 words)

### Down:

2. Solving problems through an indirect and creative approach, typically through viewing the problem in a new and unusual light. (2 words)

### Improve Phase: Lean Management Systems




#### Across:

- A way to visually communicate expectations, performance, standards or warnings in a way that requires little or no prior training to interpret.
- A Japanese word that means Production leveling/smoothing.
- A system only deals with what the customer's demands are.
- A Japanese term that means "mistakeproofing"
- When manufacturing products, which means that they produce more products than they actually need.

- It arises due to various factors such as rework, waiting times, over processing and production, or inventory, etc,.
- 5S Japanese organization method composed of the terms: seiri, seiton, seiso, \_\_\_\_, and shitsuke
- A Japanese \_\_ is a term which is used for Waste.
- A system for organizing spaces so work can be performed efficiently, effectively, and safely.
- It focuses on analyzing workflow to reduce cycle time and eliminate waste
- 11. A system for dramatically reducing the time it takes to complete equipment changeovers.

## Improve Phase: Failure Mode Effects Analysis (FMEA)




#### Across:

- scale is used for measuring the potential effect
- FMEA used while developing new products/services
- The mechanism by which failure happens (2 words)
- Scale is used for measuring the current controls mechanism

- 1. \_\_\_ scale is used for measuring the potential cause
- is usually associated with any Action leading to undesirable outcome or loss.
- 5. Process FMEA
- A structured approach to discovering potential failures that may exist within the design of a product or process.
- 8. A composite risk rating given by a team based on the elements of risk

### **Control Phase: Statistical Process Control**



#### Across:

- Person who developed Statistical Process Control System (2 words)
- An engineering mechanism that uses continuous monitoring of an industrial process operational variables (2 words)
- Chart used for representing continuous data (2 words)
- Chart used for representing defectives of variable sample size (2 words)

- Chart used for representing defectives of constant sample size (2 words)
- Chart used for representing defects with variable sample size (2 words)
- Controlling process inputs and outputs based on statistical principles
- Chart used for representing defects with constant sample size (2 words)